


Testing Report


Customer Voltage 24V
 Filename 0802a214.gzd Power Rated 250W
 Type HM_P300 Testr
 Number 0802A214 Test Date 2008.03.21



Descripton	U	I	P1	M	n	P2	EFF
	(V)	(A)	(W)	(N.m)	(rpm)	(W)	(%)
No_Load	24.02	0.750	18.03	0.1365	225.7	3.16	17.5
Max_Eff	24.01	5.997	144.0	5.67	206.2	116.7	81.0
Max_Pout	24.00	13.71	329.2	14.59	171.6	249.7	75.8
Max_Torque	24.00	14.24	342.0	21.45	94.5	202.2	59.1
End	24.00	14.24	342.0	21.45	94.5	202.2	59.1

Testing Report

Customer		Voltage	36V
Filename	0803217.gzd	Power Rated	250W
Type	HM_P300	Testr	
Number	0803A217	Test Date	2008.03.21



Descripton	U	I	P1	M	n	P2	EFF
	(V)	(A)	(W)	(N.m)	(rpm)	(W)	(%)
No_Load	36.01	0.629	22.66	0.128	228.5	2.96	13.0
Max_Eff	36.01	5.789	208.5	8.50	204.7	170.4	81.7
Max_Pout	36.00	13.53	487.4	21.43	172.9	362.5	74.3
Max_Torque	36.00	13.53	487.4	21.43	172.9	362.5	74.3
End	36.00	13.53	487.4	21.43	172.9	362.5	74.3

